

**MADE**

**TO**




**FIT**

# COLLUMNS

Flexity has three column types to offer.

Flexity offers a modular configuration - we can customize the layout, number of columns and slots.

A CENTRAL UNIT controls the columns - as long as one is present, it allows endless possibilities to add additional modules.



10-Collum

XS | 0  
S | 3  
M | 4  
L | 1


Central Unit

XS | 0  
S | 2  
M | 4  
L | 1

15-Collum

XS | 10  
S | 0  
M | 4  
L | 1

# DOORS



Flexity Locker's dimensions are based on the most popular parcel sizes in the market.

The external dimensions are slightly higher than the internal (usable space).


We at Flexity are happy to customize the dimensions of the door according to your needs.

## Door Dimensions

*Usable space (all sizes in mm)*

| INTERNAL | XS  | S   | M   | L   |
|----------|-----|-----|-----|-----|
| HEIGHT   | 93  | 93  | 194 | 397 |
| WIDTH    | 190 | 418 | 418 | 418 |
| DEPTH    | 610 | 610 | 610 | 610 |

| EXTERNAL | XS  | S   | M   | L   |
|----------|-----|-----|-----|-----|
| HEIGHT   | 99  | 99  | 203 | 411 |
| WIDTH    | 220 | 445 | 445 | 445 |
| DEPTH    | 633 | 633 | 633 | 633 |



# DATA

## Control unit

|               |  |
|---------------|--|
| MONITOR       | 10.1" or 17" (others available)          |
| PC            | 4-core processor<br>RAM: 8GB, SSD: 128GB |
| SCANNER       | 1D/2D barcodes                           |
| COMMUNICATION | Ethernet, WLAN, LET,<br>Bluetooth        |
| PRINTER       | Thermal                                  |
| CAMERA        | 8MP, Smart IR<br>IK10 vandal resistant   |

## Lockers

|           |                                     |
|-----------|-------------------------------------|
| MATERIAL  | Galvanized steel                    |
| THICKNESS | 1 mm to 2 mm                        |
| TYPE      | Outdoor & Indoor                    |
| SECURITY  | Intelligent shock sensor<br>& siren |
| LIGHTNING | LED                                 |
| PAINT     | Powder Coating -<br>RAL colour      |

## Optional equipment

|                       |  |
|-----------------------|--|
| PAINTING              | Anti-graffiti                              |
| ACCESSABILITY         | Speaker for alarming<br>and audio guidance |
| PC UPGRADES           | Processor, RAM or<br>SSD upgrade           |
| ADDITIONAL<br>CAMERAS | 8MP, Smart IR<br>IK10 vandal resistant     |
| DVR                   | Additional storage                         |

## Operational

|                |                |
|----------------|----------------|
| OPERATING TEMP | -30°C to +60°C |
| VOLTAGE        | 230 VAC ± 10%  |
| FREQUENCY      | 50/60 Hz       |